This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- J TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





Figure 1

$$NH_2$$
 NH_2
 NH_2
 NH_2
 NH_3
 NH_4
 NH_4
 NH_5
 NH_5
 NH_6
 NH_6
 NH_7
 NH_8
 NH_8
 NH_8
 NH_8
 NH_8
 NH_8
 NH_9
 NH_9


meta-EthD


Figure 2



A = Energy Acceptor

D = Energy Donor









Figure 3

Target Sequence

——GCGACCTGCGAATGCTATGGATCAGGCTAGCCA———CGCTGGACGCTTACGATACCTAGTCCGATCGGT——






Figure 4

(A) PCR


(B) SDA


(C) GAP-LCR


$$\begin{array}{c} A \\ \hline \\ D \\ A \end{array}$$


A = Energy Acceptor

Figure 5 D = Energy Donor










(B) Probe with 2nd element



(B) Intercalators with 2nd element




Figure 6

A = Energy Acceptor




Figure 7





Figure 8

Figure 9



Illumination at 472 nM Figure 10




Figure 11

HIV Anti-sense Amplicon

Forward Primer

catgatccgg atgggaggtg

Hybridization Probe

taatggtg agtatccctg cctaactct

ggatgtgc ggattgagat aagtgatagg agtatccctg cctaactcta ttcactatcc tcatagggac ctattaccac gataatggtg catgatccgg atgggaggtg ggtctgaaac ccagactttg taccctccac gtactaggcc

agat aagtgatagg cctacacg Reverse Primer

Figure 12




Figure 13

Figure 15